

Web Images Maps News Shopping Gmail more ▼



Sign in

DCT one dimensional and two dimensional with four clock period

Search

Advanced Search

Preferences



Web

Results 1 - 10 of about 43,300 for **DCT one dimensional and two dimensional with four clock period**. (0.39 seconds)

1. VLSI architecture for a convolution-based **DCT** in residue ...

Intensive pipelining can be. Used. The **one-dimensional**. 8. point **DCT** of move backward with every **clock period**. Since in **one** cyclic convolution ...
[ieeexplore.ieee.org/iel2/640/5939/00230577.pdf?arnumber=230577](#) - [Similar pages](#)
 by S Wolter - 1992 - [Cited by 2](#) - [Related articles](#)

2. A CMOS Image Sensor with Analog **Two-Dimensional DCT**-Based ...

Two-Dimensional DCT-Based Compression. Circuits for **One**-Chip Cameras 2-D **DCT** can be performed by 32 **clock** pulses using a 2-D. **DCT** core. ...
[ieeexplore.ieee.org/iel3/4/14037/00643661.pdf?arnumber=643661](#) - [Similar pages](#)
 by S Kawahito - 1997 - [Cited by 53](#) - [Related articles](#) - [All 4 versions](#)
[More results from ieeexplore.ieee.org »](#)

3. Latin American Applied Research - Forward and inverse 2-D **DCT** ...

The **two dimensional DCT** (2-D **DCT**) is a mathema-tical tool that is used to ... The 2-D transforms architectures consume **one** input value at each **clock** cycle. ...
[www.scielo.org.ar/scielo.php?script=sci_arttext&pid=S0327-07932007000100003](#) - 42k
 - [Cached](#) - [Similar pages](#)
 by L Agostini - 2007 - [Related articles](#) - [All 4 versions](#)

4. Inverse discrete cosine transform processor for VLSI ...

An input matrix of **two-dimensional DCT** coefficients is first prescaled. eight output values every **four clock** periods, or **two** samples per **clock period**. ...
[www.freepatentsonline.com/5701263.html](#) - [Similar pages](#)
 by M Lewis - 1997 - [Cited by 3](#) - [Related articles](#)

5. [PDF] Pipelined Fast 2-D **DCT** Architecture for JPEG Image Compression

File Format: PDF/Adobe Acrobat - [View as HTML](#)

clock cycles. Figure 3 – **One dimensional DCT** architecture. Page 4. Figure 4 – Simplified time diagram of the 1-D **DCT** pipeline ...
[t-cpu.seul.org/whygee/dct_fc0/Sbcci_DCT2D.pdf](#) - [Similar pages](#)
 by LV Agostini - [Cited by 26](#) - [Related articles](#) - [All 15 versions](#)

6. Unicore Systems - Ukrainian ASIC, FPGA, Digital IP core design and ...

Main features: The instruction **period** is equal to 2-4 **clock** cycles and is In general, the **two-dimensional DCT** transforms an nxn data array into an nxn ...
[unicore.co.ua/index.php?page=products&hl=en](#) - 32k - [Cached](#) - [Similar pages](#)

7. JAGUAR: A High Speed VLSI Chip for JPEG Image Compression Standard

a small **clock period**. The architecture for **DCT** and for ... **two-dimensional DCT**.

computation can be. separated into **two one- dimensional. DCT** ...
doi.ieeecomputersociety.org/10.1109/ICVD.1995.512112 - [Similar pages](#)
by M Kovač - [Cited by 4](#) - [Related articles](#) - [All 7 versions](#)

8. [Pipelined Fast 2-D DCT Architecture for JPEG Image Compression](#)

clock cycles. Figure 3 – **One dimensional DCT** architecture. Proceedings of the 14th
Symposium ... Figure 4 – Simplified time diagram of the 1-D **DCT** pipeline ...
doi.ieeeecs.org/10.1109/SBCCI.2001.953032 - [Similar pages](#)
by LV Agostini - [Cited by 26](#) - [Related articles](#) - [All 15 versions](#)

9. [Inverse discrete cosine transform processor having optimum input ...](#)

four clock cycle time **period**. Each of the 1-D IDCT processors also ... Inventor:
Nagamatsu, et al.5610849Real time **two-dimensional** discrete cosine ...
www.patentstorm.us/patents/5805482.html - [Similar pages](#)
by L Phillips - 1998 - [Cited by 2](#) - [Related articles](#) - [All 3 versions](#)

10. [Fine-grain real-time reconfigurable pipelining](#)

When only **one** sample has to be processed every **four** cycles, ... into an array of 8×8
transform coefficients using the **two-dimensional** (2D) **DCT**. ...
www.research.ibm.com/journal/rd/475/kim.html - 48k - [Cached](#) - [Similar pages](#)
by S Kim - 2003 - [Cited by 4](#) - [Related articles](#) - [All 8 versions](#)



DCT one dimensional and two dimensional with four clock period

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

yoshiharu uetani

Search

[Advanced Search](#)
[Preferences](#)



Web

Results **1 - 10** of about **991** for **yoshiharu uetani**. (0.29 seconds)

1. [LookupAnyone.com - People Directory - **Yoshiharu Uetani**](#)

Uetani, Yoshiharu. Name, Age, State. **Uetani, Yoshiharu**, Harrison, NY. **Uetani, Yoshiharu**, Rye, NY. [Help](#) | [Contact Us](#) | [FAQs](#) | [Terms & Conditions](#) ...

www.lookupanyone.com/namelistings/yoshiharu-uetani.html - 8k

- [Cached](#) - [Similar pages](#)

2. [Yoshiharu Soeta - research profile on BiomedExperts](#)

2002: Soeta **Yoshiharu**; **Uetani** Shouji; Ando Yoichi Propagation of repetitive alpha waves over the scalp in relation to subjective preferences for a ...

www.biomedexperts.com/Profile.bme/1328128/Yoshiharu_Soeta - 35k

- [Cached](#) - [Similar pages](#)

3. [An experimental digital VCR with new DCT-based bit-rate reduction ...](#)

Takeshi Inagaki*", Keisuke Ogi*** and **Yoshiharu Uetani**"". Consumer Products Engineering Lab., Toshiba Corp. Toshiba Audio Video Engineering Co.,LTD. ...

ieeexplore.ieee.org/iel4/5591/14973/00733153.pdf?arnumber=733153 - [Similar pages](#)

by M Yoneda - 1991 - [Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

4. [200 MHz video compression macrocells using low-swing differential ...](#)

Katsuhiro Seta, **Yoshiharu Uetani**,. Lee-Sup Kim. 2,Tetsu. Nagamatsu,. Takayoshi Shimazawa,. Shinji. Mita,. Goichi. Olomo,. Takeshi. 010,Yoshinori Watanabe ...

ieeexplore.ieee.org/iel2/1111/8026/00344720.pdf - [Similar pages](#)

by TOC View - 1994

[More results from ieeexplore.ieee.org »](#)

5. [High-speed low-power frequency divider with intrinsic phase rotator](#)

Masataka Matsui, Hiroyuki Hara, **Yoshiharu Uetani**, Lee-Sup Kim, Tetsu Nagamatsu, Yoshinori Watanabe, Akihiko Chiba, Kouji Matsuda and Takayasu Sakurai. ...

portal.acm.org/citation.cfm?id=1165641&dl=ACM&coll=ACM&CFID=

15151515&CFTOKEN=6184618 - [Similar pages](#)

6. [ZoomInfo Open People Directory > Uetake, Katsuaki - Ueyama, Hirochika](#)

Yasuhiro **Uetani**, Pan Pacific Hotels and Resorts Pte Ltd. **Yoshiharu Uetani**, Carlisle Leasing International , LLC. Yoshihiro **Uetani**, Japan Sweden Society ...

[www.zoominfo.com/people/level3page263770.aspx](#) - 31k - [Cached](#) - [Similar pages](#)

7. [Welcome to Carlisle Leasing - contact](#)

Yoshiharu Uetani, Sales Representative Korea U.C.L. Express Co., Ltd. 802 KwangHak Bldg. 2-Ka Taepyung-Ro, Choong-Ku, Seoul, Korea (100-102) ...

[www.carlisleleasing.com/index.asp?fuseaction=contact.agents](#) - 19k

- [Cached](#) - [Similar pages](#)

8. [Relationship between subjective preference and alpha-wave activity ...](#)

Soeta, **Yoshiharu; Uetani**, Shouji; Ando, Yoichi. Affiliation: Graduate School of Science and Technology, Kobe University, Rokkodai, Nada, Kobe 657-8501, ...

[adsabs.harvard.edu/abs/2002JOSAA..19..289S](#) - [Similar pages](#)

by Y Soeta - 2002 - [Cited by 6](#) - [Related articles](#) - [All 31 versions](#)

9. [DADES DEL SUMARI DE JOURNAL- OPTICAL SOCIETY OF AMERICA A](#)

Autor: Soeta, **Yoshiharu;Uetani**, Shouji;Ando, Yoichi, pg - 289-294. Títol: Machine Vision - Passive navigation from image sequences by use of a volumetric ...

[sumaris.cbuc.es/cgis/sumari.cgi?issn=07403232&idsumari=A2002N0000002V000019](#) - 27k - [Cached](#) - [Similar pages](#)

10. [\[PDF\] 200MHz video compression macrocells using low-swing differential logic](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Yoshiharu Uetani,. Lee-SupKimz,TelsuNagamalsu,TakayoshiShimazawa,Shinji Mita,. Goichi Otomo,Takeshi Oto.Yoshinori Watanabe. I,. FumihikoSano', ...

[lowpower.iis.u-tokyo.ac.jp/SPN/1994/19940021.pdf](#) - [Similar pages](#)




yoshiharu uetani

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH

THE ACM DIGITAL LIBRARY

[Feedback](#)

High-speed low-power frequency divider with intrinsic phase rotator

Full text Pdf (271 KB)

Source **International Symposium on Low Power Electronics and Design** [archive](#)
Proceedings of the 2006 international symposium on Low power electronics and design [table of contents](#)
Tegernsee, Bavaria, Germany
SESSION: RF CMOS building blocks [table of contents](#)
Pages: 286 - 291
Year of Publication: 2006
ISBN:1-59593-462-6

Authors [Stephan](#) Infineon Technologies AG, Munich,
[Henzler](#) Germany
[Siegmar](#) Infineon Technologies AG, Munich,
[Koeppel](#) Germany

Sponsors [ACM](#): Association for Computing Machinery
[SIGDA](#): ACM Special Interest Group on Design Automation

Publisher [ACM](#) New York, NY, USA

Bibliometrics Downloads (6 Weeks): 5, Downloads (12 Months): 79, Citation Count: 0

Additional Information: [abstract](#) [references](#) [index terms](#) [collaborative colleagues](#)

Tools and Actions: [Review this Article](#)
[Save this Article to a Binder](#) Display Formats: [BibTex](#) [EndNote](#) [ACM Ref](#)

DOI Bookmark: Use this link to bookmark this Article: <http://doi.acm.org/10.1145/1165573.1165641>
[What is a DOI?](#)


↑ ABSTRACT

A CMOS divider concept without static power consumption, except leakage power, is proposed. The circuit divides an input signal by two and generates four phases with highly accurate phase skew of 90° . In a 90nm low-power CMOS technology, the maximum operation frequency is 11.6 GHz for a supply voltage of 1.5V slow process and worst case operation parameters. Higher frequencies can be achieved by a hybrid approach where the signal is first divided by a factor of two in a single CML stage and then by the proposed circuit by another factor of two for the generation of the four phases. The divider is applied to dual modulus pre-

scalers and IQ receivers. A variant of the circuit contains an intrinsic phase-rotator, so the power consumption of the pre-scaler is not only reduced due to the logic style but also by a simplified architecture of the overall pre-scaler.

↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

- 1 Jan Craninckx and Michiel S. J. Steyaert. A 1.75-GHz/3-V Dual Modulus Divide-by-128/129 Pre-Scaler in 0.7-um CMOS. *Journal of Solid State Circuits*, Vol. 31, No. 7, 890--897, Jul. 1996.
- 2 Chun-Lung Hsu and Wu-Hung Lu. Glitch-Free Single-Phase D-FF for Dual-Modulus Prescaler. *Conference on ASIC*, 711--714, Oct. 2003.
- 3  Herbert Knapp , Wilhelm Wilhelm , Mira Rest , Hans-Peter Trost, A 3.8-mW 2.5-GHz dual-modulus prescaler in a 0.8 &mgr;m silicon bipolar production technology, Proceedings of the 1998 international symposium on Low power electronics and design, p.20-23, August 10-12, 1998, Monterey, California, United States [doi> 10.1145/280756.280762]
- 4 Patrik Larsson. High-Speed Architecture for a Programmable Frequency Divider and a Dual-Modulus Prescaler. *Journal of Solid State Circuits*, Vol. 31, No. 5, 744--748, May 1996.
- 5 Masataka Matsui, Hiroyuki Hara, Yoshiharu Uetani, Lee-Sup Kim, Tetsu Nagamatsu, Yoshinori Watanabe, Akihiko Chiba, Kouji Matsuda and Takayasu Sakurai. A 200MHz 13mm² 2-D DCT Macrocell Using Sense Amplifying Pipeline Flip-Flop Scheme. *Journal of Solid State Circuits*, Vol. 29, No. 12, 1482--1490, Dec. 1994.
- 6 Ram Singh Rana. Dual-Modulus 127/128 FOM Enhanced Prescaler Design in 0.35-um CMOS Technology. *Journal of Solid State Circuits*, Vol. 40, No. 8, 1662--1670, Aug. 2005.
- 7 Soares J. Navarro and W. A. M. Van Noije. A 1.6-GHz Dual Modulus Pre-scaler Using Extended True-Single-Phase-Clock CMOS Circuit Technique (E-TSPC). *Journal of Solid State Circuits*, Vol. 34, No. 1, 97--102, Jan 1999.
- 8 Marc Tiebout. A 480uW 2GHz Ultra Low Power Dual-Modulus Pre-Scaler in 0.25um Standard CMOS. *International Symposium on Circuits and Systems*, 741--744, May 2003.
- 9 Marc Tiebout, Christoph Sandner, Hans-Dieter Wohlmuth, Nicola Da Dalt and Edwin Thaller. A Fully Integrated 13GHz Delta Sigma Fractional-N PLL in 0.13um CMOS. *International Solid State Circuits Conference*, 386--387, Feb. 2004.
- 10 Hans-Dieter Wohlmuth and Daniel Kehrer. A 15GHz 256/257 Dual-Modulus Pre-Scaler in 120nm CMOS. *European Solid State Circuits Conference*, 77--80, Sept. 2003.

- 11 Ching-Yuan Yang, Guang-Kaai Dehng, June-Ming Hsu and Shen-Iuan Liu. New Dynamic Flip-Flops for High-Speed Dual-Modulus Pre-scaler. Journal of Solid State Circuits, Vol. 33, No. 10, 1568--1571, Oct. 1998.
- 12 X. P. Yu, M. A. Do, J. G. Ma, K. S. Yeo, R. Wu and G. Q. Yan. Low Power High-Speed CMOS Dual-Modulus Pre-Scaler Design with Imbalanced Phase-Switching Technique. Proceedings on Circuits, Devices and Systems, Vol. 152, No. 2, 127--132, Apr. 2005.
- 13 Jiren Yuan and Christer Svensson. High-Speed CMOS Circuit Technique. Journal of Solid State Circuits, Vol. 24, No. 1, 62--70, Feb 1989.

↑ INDEX TERMS

Primary Classification:

B. [Hardware](#)



B.4 [INPUT/OUTPUT AND DATA COMMUNICATIONS](#)



B.4.1 [Data Communications Devices](#)

General Terms:

[Design](#)

Keywords:

[divider](#), [low-power](#), [phase-rotator](#), [pre-scaler](#)

↑ Collaborative Colleagues:

Stephan Henzler:

[colleagues](#)

Siegmar Koeppel:

[colleagues](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)